Ohio Total Syphilis Cases
2007 - 2011
Demographic Breakdown of Ohio

Presented by Date of Diagnosis[1]

	Cases reported to the Ohio Department of Health									
	Rates[2]					Number of Cases				
AGE	**2007**	**2008**	**2009**	**2010**	**2011**	**2007**	**2008**	**2009**	**2010**	**2011**
0 - 9	0.1	0.1	0.5	0.7	0.9	1	2	8	11	13
10 - 14	0.3	0.3	0.4	0.5	0.5	2	2	3	4	4
15 - 19	4.6	7.7	11.2	17.4	12.4	37	62	91	143	102
20 - 24	12.9	18.0	23.5	36.8	32.9	98	137	177	281	251
25 - 29	12.1	15.9	17.9	24.1	23.5	94	123	137	173	169
30 - 34	8.4	14.2	13.3	19.1	16.6	58	98	95	132	115
35 - 39	9.4	14.1	13.4	11.8	12.4	73	107	99	85	89
40 - 44	11.0	10.2	10.7	11.7	10.1	90	81	83	89	77
45 - 54	3.4	6.5	5.7	7.6	5.5	60	113	100	132	96
55 - 64	2.2	2.5	2.1	2.3	2.2	29	33	29	34	32
65+	0.8	0.4	0.4	0.1	0.4	12	6	6	1	7
Not Specified	--	--	--	--	--	0	0	0	0	0
RACE										
Am. Indian/Alaskan Native	0.0	0.0	5.5	5.1	2.6	0	0	2	2	1
Asian/Pacific Islander	1.6	3.0	3.0	1.8	2.7	3	6	6	4	6
Black/African American	17.7	24.2	32.7	47.1	40.5	254	349	476	712	612
White	2.6	3.4	3.1	3.5	3.1	252	331	308	337	306
Other[3]	--	--	--	--	--	30	31	29	29	23
Not Specified	--	--	--	--	--	15	47	7	1	7
ETHNICITY										
Hispanic	6.5	10.3	8.3	7.6	4.8	19	31	27	27	17
Non-Hispanic	4.5	6.0	7.0	9.4	8.3	507	666	789	1,052	929
Not Specified	--	--	--	--	--	28	67	12	6	9
SEX										
Male	7.2	10.0	11.1	13.4	12.1	405	559	624	752	684
Female	2.5	3.5	3.4	5.6	4.6	149	205	203	333	271
Not Specified	--	--	--	--	--	0	0	1	0	0
TOTAL	**4.8**	**6.7**	**7.2**	**9.4**	**8.3**	**554**	**764**	**828**	**1085**	**955**

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilizes 2010.

(3) Cases are included in the Other race category if multiple races are chosen or if the case did not fit into any of the listed categories.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/28/12.

Ohio Total Syphilis Cases
2007 - 2011
Presented by Date of Diagnosis[1]

COUNTY	Rates[2] 2007	2008	2009	2010	2011	Number of Cases 2007	2008	2009	2010	2011
ADAMS	0.0	0.0	0.0	0.0	3.5	0	0	0	0	1
ALLEN	1.0	1.9	1.0	0.9	2.8	1	2	1	1	3
ASHLAND	0.0	1.8	0.0	0.0	0.0	0	1	0	0	0
ASHTABULA	0.0	0.0	1.0	0.0	0.0	0	0	1	0	0
ATHENS	1.6	1.6	7.9	0.0	1.5	1	1	5	0	1
AUGLAIZE	2.2	0.0	0.0	2.2	0.0	1	0	0	1	0
BELMONT	0.0	0.0	1.5	0.0	4.3	0	0	1	0	3
BROWN	0.0	2.3	2.3	2.2	2.2	0	1	1	1	1
BUTLER	0.8	1.1	3.0	3.5	4.6	3	4	11	13	17
CARROLL	7.0	0.0	0.0	3.5	3.5	2	0	0	1	1
CHAMPAIGN	2.5	0.0	0.0	0.0	0.0	1	0	0	0	0
CLARK	0.7	1.4	2.9	2.2	2.9	1	2	4	3	4
CLERMONT	2.1	1.5	3.1	2.5	2.5	4	3	6	5	5
CLINTON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
COLUMBIANA	2.8	0.0	0.0	0.0	0.9	3	0	0	0	1
COSHOCTON	0.0	0.0	0.0	8.1	2.7	0	0	0	3	1
CRAWFORD	0.0	0.0	0.0	4.6	0.0	0	0	0	2	0
CUYAHOGA	5.1	8.6	12.4	12.6	11.1	66	111	158	161	142
DARKE	0.0	0.0	1.9	1.9	1.9	0	0	1	1	1
DEFIANCE	2.6	0.0	7.8	0.0	5.1	1	0	3	0	2
DELAWARE	3.1	1.2	2.4	1.1	1.7	5	2	4	2	3
ERIE	1.3	0.0	0.0	5.2	3.9	1	0	0	4	3
FAIRFIELD	2.1	2.8	4.2	3.4	0.0	3	4	6	5	0
FAYETTE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
FRANKLIN	17.4	24.9	20.3	18.5	18.2	194	281	233	215	212
FULTON	0.0	0.0	0.0	2.3	0.0	0	0	0	1	0
GALLIA	0.0	0.0	3.3	0.0	0.0	0	0	1	0	0
GEAUGA	1.1	2.1	0.0	1.1	1.1	1	2	0	1	1
GREENE	1.3	3.1	4.4	2.5	1.9	2	5	7	4	3
GUERNSEY	2.5	0.0	0.0	0.0	2.5	1	0	0	0	1
HAMILTON	6.4	8.5	23.0	53.5	44.9	55	72	197	429	360
HANCOCK	2.7	1.3	1.3	1.3	1.3	2	1	1	1	1
HARDIN	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HARRISON	0.0	6.5	0.0	0.0	0.0	0	1	0	0	0
HENRY	3.5	0.0	7.0	0.0	0.0	1	0	2	0	0
HIGHLAND	0.0	0.0	2.4	0.0	0.0	0	0	1	0	0
HOCKING	0.0	0.0	0.0	6.8	3.4	0	0	0	2	1
HOLMES	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
HURON	3.3	0.0	1.7	0.0	1.7	2	0	1	0	1
JACKSON	0.0	3.0	0.0	3.0	0.0	0	1	0	1	0
JEFFERSON	0.0	0.0	0.0	1.4	0.0	0	0	0	1	0
KNOX	5.1	0.0	0.0	1.6	1.6	3	0	0	1	1
LAKE	1.3	3.4	0.8	2.6	0.9	3	8	2	6	2
LAWRENCE	1.6	1.6	3.2	0.0	1.6	1	1	2	0	1
LICKING	2.6	3.2	3.2	2.4	4.2	4	5	5	4	7

Notes:

cont.

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.
(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilizes 2010.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/28/12.

Ohio Total Syphilis Cases
2007 - 2011
Presented by Date of Diagnosis[1]

COUNTY	Rates[2] 2007	2008	2009	2010	2011	Number of Cases 2007	2008	2009	2010	2011
LOGAN	0.0	0.0	0.0	2.2	0.0	0	0	0	1	0
LORAIN	3.0	2.3	2.3	5.0	1.7	9	7	7	15	5
LUCAS	5.9	7.7	4.1	3.8	3.4	26	34	19	17	15
MADISON	4.8	2.4	0.0	4.6	0.0	2	1	0	2	0
MAHONING	3.7	4.2	1.3	3.3	2.5	9	10	3	8	6
MARION	1.5	4.6	0.0	7.5	1.5	1	3	0	5	1
MEDINA	1.8	1.8	1.1	0.6	1.2	3	3	2	1	2
MEIGS	0.0	0.0	4.4	0.0	4.2	0	0	1	0	1
MERCER	0.0	0.0	0.0	2.5	4.9	0	0	0	1	2
MIAMI	2.0	4.0	3.0	0.0	1.0	2	4	3	0	1
MONROE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MONTGOMERY	4.1	4.9	6.8	5.8	10.8	22	26	36	31	58
MORGAN	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
MORROW	0.0	2.9	2.9	2.9	2.9	0	1	1	1	1
MUSKINGUM	0.0	4.7	0.0	3.5	2.3	0	4	0	3	2
NOBLE	20.9	7.0	0.0	6.8	6.8	3	1	0	1	1
OTTAWA	4.9	0.0	0.0	2.4	0.0	2	0	0	1	0
PAULDING	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PERRY	0.0	0.0	2.8	2.8	0.0	0	0	1	1	0
PICKAWAY	11.1	7.3	20.1	21.5	21.5	6	4	11	12	12
PIKE	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
PORTAGE	0.6	5.8	0.6	2.5	3.1	1	9	1	4	5
PREBLE	0.0	2.4	0.0	0.0	2.4	0	1	0	0	1
PUTNAM	0.0	0.0	2.9	0.0	0.0	0	0	1	0	0
RICHLAND	4.8	0.8	2.4	4.0	0.8	6	1	3	5	1
ROSS	7.9	6.6	5.3	3.8	2.6	6	5	4	3	2
SANDUSKY	0.0	0.0	1.7	9.8	1.6	0	0	1	6	1
SCIOTO	2.6	7.8	1.3	6.3	2.5	2	6	1	5	2
SENECA	1.8	1.8	1.8	1.8	0.0	1	1	1	1	0
SHELBY	2.1	2.0	0.0	0.0	0.0	1	1	0	0	0
STARK	1.6	4.0	2.4	2.7	3.2	6	15	9	10	12
SUMMIT	11.8	15.1	8.8	11.3	4.8	64	82	48	61	26
TRUMBULL	0.5	0.9	2.4	1.9	1.4	1	2	5	4	3
TUSCARAWAS	0.0	2.2	1.1	4.3	0.0	0	2	1	4	0
UNION	18.9	10.4	6.1	7.6	5.7	9	5	3	4	3
VAN WERT	0.0	0.0	0.0	0.0	3.5	0	0	0	0	1
VINTON	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
WARREN	0.5	1.4	0.9	2.4	2.4	1	3	2	5	5
WASHINGTON	0.0	0.0	0.0	1.6	3.2	0	0	0	1	2
WAYNE	0.0	1.8	0.0	1.7	0.9	0	2	0	2	1
WILLIAMS	0.0	2.6	0.0	0.0	0.0	0	1	0	0	0
WOOD	1.6	7.2	3.2	0.8	0.8	2	9	4	1	1
WYANDOT	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0
UNKNOWN COUNTY[3]	--	--	--	--	--	7	13	6	0	2
TOTAL	**4.8**	**6.7**	**7.2**	**9.4**	**8.3**	**554**	**764**	**828**	**1085**	**955**

Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilizes 2010.

(3) Cases reported without patient's county are classified as "Unknown County".

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/28/12.

Ohio Total Syphilis Cases
2007 - 2011
Presented by Date of Diagnosis[1]

City	Rates[2] 2007	2008	2009	2010	2011	Number of Cases 2007	2008	2009	2010	2011
Akron	27.3	36.1	21.2	25.1	10.0	57	75	44	50	20
Canton	3.8	15.3	8.9	5.5	13.7	3	12	7	4	10
Cincinnati	16.8	21.6	58.3	142.5	119.6	56	72	194	423	355
Cleveland	10.7	16.4	29.2	33.3	24.9	47	71	126	132	99
Columbus	21.0	31.9	26.8	26.1	24.7	158	242	206	201	190
Dayton	11.6	11.6	22.8	19.1	39.6	18	18	35	27	56
Lima	2.6	2.6	2.7	2.6	7.7	1	1	1	1	3
Toledo	7.3	8.8	4.7	5.2	4.9	23	28	15	15	14
Youngstown	10.8	9.6	4.1	9.0	6.0	8	7	3	6	4



Notes:

(1) In this presentation, date of diagnosis is defined as the date the specimen was collected by the provider.

(2) Rates are shown per 100,000 persons and were calculated using census estimates for that year except for 2011 which utilizes 2010.

Small numbers are unstable and should be interpreted with caution.

Provisional data. Numbers subject to change when additional information is gained.

Source: Ohio Department of Health, STD Surveillance Program. Data reported through 04/28/12.